

=====

Sequence Listing was accepted.

See attached Validation Report.

If you need help call the Patent Electronic Business Center at (866)  
217-9197 (toll free).

Reviewer: Keisha Douglas

Timestamp: [year=2008; month=6; day=3; hr=19; min=19; sec=55; ms=600; ]

=====

Application No: 10550778 Version No: 1.0

Input Set:

Output Set:

**Started:** 2008-05-05 17:01:41.676  
**Finished:** 2008-05-05 17:02:05.718  
**Elapsed:** 0 hr(s) 0 min(s) 24 sec(s) 42 ms  
**Total Warnings:** 25  
**Total Errors:** 25  
**No. of SeqIDs Defined:** 25  
**Actual SeqID Count:** 25

Error code	Error Description
W 213	Artificial or Unknown found in <213> in SEQ ID (1)
E 257	Invalid sequence data feature in <221> in SEQ ID (1)
W 213	Artificial or Unknown found in <213> in SEQ ID (2)
E 257	Invalid sequence data feature in <221> in SEQ ID (2)
W 213	Artificial or Unknown found in <213> in SEQ ID (3)
E 257	Invalid sequence data feature in <221> in SEQ ID (3)
W 213	Artificial or Unknown found in <213> in SEQ ID (4)
E 257	Invalid sequence data feature in <221> in SEQ ID (4)
W 213	Artificial or Unknown found in <213> in SEQ ID (5)
E 257	Invalid sequence data feature in <221> in SEQ ID (5)
W 213	Artificial or Unknown found in <213> in SEQ ID (6)
E 257	Invalid sequence data feature in <221> in SEQ ID (6)
W 213	Artificial or Unknown found in <213> in SEQ ID (7)
E 257	Invalid sequence data feature in <221> in SEQ ID (7)
W 213	Artificial or Unknown found in <213> in SEQ ID (8)
E 257	Invalid sequence data feature in <221> in SEQ ID (8)
E 257	Invalid sequence data feature in <221> in SEQ ID (8)
W 213	Artificial or Unknown found in <213> in SEQ ID (9)
E 257	Invalid sequence data feature in <221> in SEQ ID (9)
W 213	Artificial or Unknown found in <213> in SEQ ID (10)

**Input Set:**

**Output Set:**

**Started:** 2008-05-05 17:01:41.676  
**Finished:** 2008-05-05 17:02:05.718  
**Elapsed:** 0 hr(s) 0 min(s) 24 sec(s) 42 ms  
**Total Warnings:** 25  
**Total Errors:** 25  
**No. of SeqIDs Defined:** 25  
**Actual SeqID Count:** 25

Error code	Error Description
E 257	Invalid sequence data feature in <221> in SEQ ID (10)
W 213	Artificial or Unknown found in <213> in SEQ ID (11)
E 257	Invalid sequence data feature in <221> in SEQ ID (11)
W 213	Artificial or Unknown found in <213> in SEQ ID (12)
E 257	Invalid sequence data feature in <221> in SEQ ID (12)
W 213	Artificial or Unknown found in <213> in SEQ ID (13)
E 257	Invalid sequence data feature in <221> in SEQ ID (13)
W 213	Artificial or Unknown found in <213> in SEQ ID (14)
E 257	Invalid sequence data feature in <221> in SEQ ID (14)
W 213	Artificial or Unknown found in <213> in SEQ ID (15)
E 257	Invalid sequence data feature in <221> in SEQ ID (15)
W 213	Artificial or Unknown found in <213> in SEQ ID (16)
E 257	Invalid sequence data feature in <221> in SEQ ID (16)
W 213	Artificial or Unknown found in <213> in SEQ ID (17)
E 257	Invalid sequence data feature in <221> in SEQ ID (17)
W 213	Artificial or Unknown found in <213> in SEQ ID (18)
E 257	Invalid sequence data feature in <221> in SEQ ID (18)
W 213	Artificial or Unknown found in <213> in SEQ ID (19)
E 257	Invalid sequence data feature in <221> in SEQ ID (19) This error has occurred more than 20 times, will not be displayed
W 213	Artificial or Unknown found in <213> in SEQ ID (20) This error has occurred more than 20 times, will not be displayed



<110> Zumbrunn, Jurg  
 Lociuero, Sergio  
 Gombert, Frank  
 Moehle, Kerstin  
 DeMarco, Steven J.  
 Vrijbloed, Jan Wim  
 Mukherjee, Reshmi  
 Obrecht, Daniel  
 Romagnoli, Barbara  
 Robinson, John Anthony

<120> Template-Fixed Peptidomimetics as Medicaments against HIV and Cancer

<130> 753-54 PCT/US

<140> 10550778  
 <141> 2008-05-05

<150> PCT/EP2003/04641  
 <151> 2003-05-02

<160> 25

<170> PatentIn version 3.4

<210> 1  
 <211> 12  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Template-fixed peptidomimetic

<220>  
 <221> MISC\_FEATURE  
 <222> (3)..(3)  
 <223> Xaa = 2-Nal

<220>  
 <221> DISULFID  
 <222> (4)..(11)

<220>  
 <221> MISC\_FEATURE  
 <222> (7)..(7)  
 <223> Xaa = D-Lys

<220>  
 <221> MISC\_FEATURE  
 <222> (10)..(10)  
 <223> Xaa = Cit

<220>  
<221> MOD\_RES  
<222> (12)..(12)  
<223> AMIDATION  
  
<400> 1  
  
Arg Arg Xaa Cys Tyr Arg Xaa Pro Tyr Xaa Cys Arg  
1 5 10

<210> 2  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Template-fixed peptidomimetic

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa = 2-Nal

<220>  
<221> DISULFID  
<222> (4)..(11)

<220>  
<221> MISC\_FEATURE  
<222> (7)..(7)  
<223> Xaa = D-Lys

<220>  
<221> MISC\_FEATURE  
<222> (10)..(10)  
<223> Xaa = Cit

<220>  
<221> MOD\_RES  
<222> (12)..(12)  
<223> AMIDATION

<400> 2  
  
Arg Arg Xaa Cys Tyr Lys Xaa Pro Tyr Xaa Cys Arg  
1 5 10

<210> 3  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Template-fixed peptidomimetic

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa = 2-Nal

<220>  
<221> DISULFID  
<222> (4)..(11)

<220>  
<221> MISC\_FEATURE  
<222> (7)..(7)  
<223> Xaa = D-Lys

<220>  
<221> MISC\_FEATURE  
<222> (10)..(10)  
<223> Xaa = Cit

<220>  
<221> MOD\_RES  
<222> (12)..(12)  
<223> AMIDATION

<400> 3

Arg Arg Xaa Cys Tyr Lys Xaa Pro Arg Xaa Cys Arg  
1 5 10

<210> 4  
<211> 12  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Template-fixed peptidomimetic

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa = 2-Nal

<220>  
<221> DISULFID  
<222> (4)..(11)

<220>  
<221> MISC\_FEATURE  
<222> (7)..(7)  
<223> Xaa = D-Pro

<220>  
<221> MOD\_RES

<222> (12)..(12)

<223> AMIDATION

<400> 4

Arg Arg Xaa Cys Tyr Lys Xaa Pro Tyr Arg Cys Arg  
1 5 10

<210> 5

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Template-fixed peptidomimetic

<220>

<221> MISC\_FEATURE

<222> (3)..(3)

<223> Xaa = 2-Nal

<220>

<221> DISULFID

<222> (4)..(11)

<220>

<221> MISC\_FEATURE

<222> (7)..(7)

<223> Xaa = D-Pro

<220>

<221> MOD\_RES

<222> (12)..(12)

<223> AMIDATION

<400> 5

Arg Arg Xaa Cys Tyr Arg Xaa Pro Tyr Arg Cys Arg  
1 5 10

<210> 6

<211> 12

<212> PRT

<213> Artificial Sequence

<220>

<223> Template-fixed peptidomimetic

<220>

<221> MISC\_FEATURE

<222> (3)..(3)

<223> Xaa = 2-Nal



<220>  
<221> DISULFID  
<222> (4)..(11)

<220>  
<221> MISC\_FEATURE  
<222> (10)..(10)  
<223> Xaa = Cit

<220>  
<221> MOD\_RES  
<222> (12)..(12)  
<223> AMIDATION

<400> 6

Arg Arg Xaa Cys Tyr Arg Lys Pro Tyr Xaa Cys Arg  
1 5 10

<210> 7  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Template-fixed peptidomimetic

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa = 2-Nal

<220>  
<221> DISULFID  
<222> (4)..(13)

<220>  
<221> MISC\_FEATURE  
<222> (6)..(6)  
<223> Xaa = Cit

<220>  
<221> MISC\_FEATURE  
<222> (8)..(8)  
<223> Xaa = D-Pro

<220>  
<221> MISC\_FEATURE  
<222> (12)..(12)  
<223> Xaa = Cit

<220>  
<221> MOD\_RES  
<222> (14)..(14)  
<223> AMIDATION

<400> 7

Arg Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg  
1 5 10

<210> 8

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Template-fixed peptidomimetic

<220>

<221> MOD\_RES

<222> (1)..(1)

<223> ACETYLATION

<220>

<221> MISC\_FEATURE

<222> (3)..(3)

<223> Xaa = 2-Nal

<220>

<221> DISULFID

<222> (4)..(13)

<220>

<221> MISC\_FEATURE

<222> (6)..(6)

<223> Xaa = Cit

<220>

<221> MISC\_FEATURE

<222> (8)..(8)

<223> Xaa = D-Pro

<220>

<221> MISC\_FEATURE

<222> (12)..(12)

<223> Xaa = Cit

<220>

<221> MOD\_RES

<222> (14)..(14)

<223> AMIDATION

<400> 8

Arg Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg  
1 5 10

<210> 9

<211> 14  
<212> PRT  
<213> Artificial Sequence  
  
<220>  
<223> Template-fixed peptidomimetic

<220>  
<221> MISC\_FEATURE  
<222> (1)..(1)  
<223> Xaa = iPrArg

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa = 2-Nal

<220>  
<221> DISULFID  
<222> (4)..(13)

<220>  
<221> MISC\_FEATURE  
<222> (6)..(6)  
<223> Xaa = Cit

<220>  
<221> MISC\_FEATURE  
<222> (8)..(8)  
<223> Xaa = D-Pro

<220>  
<221> MISC\_FEATURE  
<222> (12)..(12)  
<223> Xaa = Cit

<220>  
<221> MOD\_RES  
<222> (14)..(14)  
<223> AMIDATION

<400> 9

Xaa Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg  
1 5 10

<210> 10  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Template-fixed peptidomimetic

<220>  
<221> MISC\_FEATURE  
<222> (1)..(1)  
<223> Xaa = D-Arg

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa = 2-Nal

<220>  
<221> DISULFID  
<222> (4)..(13)

<220>  
<221> MISC\_FEATURE  
<222> (6)..(6)  
<223> Xaa = Cit

<220>  
<221> MISC\_FEATURE  
<222> (8)..(8)  
<223> Xaa = D-Pro

<220>  
<221> MISC\_FEATURE  
<222> (12)..(12)  
<223> Xaa = Cit

<220>  
<221> MOD\_RES  
<222> (14)..(14)  
<223> AMIDATION

<400> 10

Xaa Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg  
1 5 10

<210> 11  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Template-fixed peptidomimetic

<220>  
<221> DISULFID  
<222> (4)..(13)

<220>  
<221> MISC\_FEATURE  
<222> (6)..(6)  
<223> Xaa = Cit

<220>  
<221> MISC\_FEATURE  
<222> (8)..(8)  
<223> Xaa = D-Pro

<220>  
<221> MISC\_FEATURE  
<222> (12)..(12)  
<223> Xaa = Cit

<220>  
<221> MOD\_RES  
<222> (14)..(14)  
<223> AMIDATION

<400> 11

Arg Arg Trp Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg  
1 5 10

<210> 12  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Template-fixed peptidomimetic

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa = F(pNH2)

<220>  
<221> DISULFID  
<222> (4)..(13)

<220>  
<221> MISC\_FEATURE  
<222> (6)..(6)  
<223> Xaa = Cit

<220>  
<221> MISC\_FEATURE  
<222> (8)..(8)  
<223> Xaa = D-Pro

<220>  
<221> MISC\_FEATURE  
<222> (12)..(12)  
<223> Xaa = Cit

<220>  
<221> MOD\_RES

<222> (14)..(14)

<223> AMIDATION

<400> 12

Arg Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg  
1 5 10

<210> 13

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Template-fixed peptidomimetic

<220>

<221> MISC\_FEATURE

<222> (3)..(3)

<223> Xaa = W(6-C1)

<220>

<221> DISULFID

<222> (4)..(13)

<220>

<221> MISC\_FEATURE

<222> (6)..(6)

<223> Xaa = Cit

<220>

<221> MISC\_FEATURE

<222> (8)..(8)

<223> Xaa = D-Pro

<220>

<221> MISC\_FEATURE

<222> (12)..(12)

<223> Xaa = Cit

<220>

<221> MOD\_RES

<222> (14)..(14)

<223> AMIDATION

<400> 13

Arg Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg  
1 5 10

<210> 14

<211> 14

<212> PRT

<213> Artificial Sequence

<220>  
<223> Template-fixed peptidomimetic

<220>  
<221> MISC\_FEATURE  
<222> (1)..(1)  
<223> Xaa = (EA)G

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa = 2-Nal

<220>  
<221> DISULFID  
<222> (4)..(13)

<220>  
<221> MISC\_FEATURE  
<222> (6)..(6)  
<223> Xaa = Cit

<220>  
<221> MISC\_FEATURE  
<222> (8)..(8)  
<223> Xaa = D-Pro

<220>  
<221> MISC\_FEATURE  
<222> (12)..(12)  
<223> Xaa = Cit

<220>  
<221> MOD\_RES  
<222> (14)..(14)  
<223> AMIDATION

<400> 14

Xaa Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg  
1 5 10

<210> 15  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Template-fixed peptidomimetic

<220>  
<221> MISC\_FEATURE  
<222> (1)..(1)

<223> Xaa = (PrA)G

<220>

<221> MISC\_FEATURE

<222> (3)..(3)

<223> Xaa = 2-Nal

<220>

<221> DISULFID

<222> (4)..(13)

<220>

<221> MISC\_FEATURE

<222> (6)..(6)

<223> Xaa = Cit

<220>

<221> MISC\_FEATURE

<222> (8)..(8)

<223> Xaa = D-Pro

<220>

<221> MISC\_FEATURE

<222> (12)..(12)

<223> Xaa = Cit

<220>

<221> MOD\_RES

<222> (14)..(14)

<223> AMIDATION

<400> 15

Xaa Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg

1

5

10

<210> 16

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Template-fixed peptidomimetic

<220>

<221> MISC\_FEATURE

<222> (1)..(1)

<223> Xaa = (BA)G

<220>

<221> MISC\_FEATURE

<222> (3)..(3)

<223> Xaa = 2-Nal

<220>



<221> DISULFID  
<222> (4)..(13)

<220>  
<221> MISC\_FEATURE  
<222> (6)..(6)  
<223> Xaa = Cit

<220>  
<221> MISC\_FEATURE  
<222> (8)..(8)  
<223> Xaa = D-Pro

<220>  
<221> MISC\_FEATURE  
<222> (12)..(12)  
<223> Xaa = Cit

<220>  
<221> MOD\_RES  
<222> (14)..(14)  
<223> AMIDATION

<400> 16

Xaa Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg  
1 5 10

<210> 17  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Template-fixed peptidomimetic

<220>  
<221> MISC\_FEATURE  
<222> (1)..(1)  
<223> Xaa = (EGU)G

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa = 2-Nal

<220>  
<221> DISULFID  
<222> (4)..(13)

<220>  
<221> MISC\_FEATURE  
<222> (6)..(6)  
<223> Xaa = Cit

<220>  
<221> MISC\_FEATURE  
<222> (8)..(8)  
<223> Xaa = D-Pro

<220>  
<221> MISC\_FEATURE  
<222> (12)..(12)  
<223> Xaa = Cit

<220>  
<221> MOD\_RES  
<222> (14)..(14)  
<223> AMIDATION

<400> 17

Xaa Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg  
1 5 10

<210> 18  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Template-fixed peptidomimetic

<220>  
<221> MISC\_FEATURE  
<222> (1)..(1)  
<223> Xaa = (PrGU)G

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa = 2-Nal

<220>  
<221> DISULFID  
<222> (4)..(13)

<220>  
<221> MISC\_FEATURE  
<222> (6)..(6)  
<223> Xaa = Cit

<220>  
<221> MISC\_FEATURE  
<222> (8)..(8)  
<223> Xaa = D-Pro

<220>  
<221> MISC\_FEATURE  
<222> (12)..(12)

<223> Xaa = Cit

<220>

<221> MOD\_RES

<222> (14)..(14)

<223> AMIDATION

<400> 18

Xaa Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg

1 5 10

<210> 19

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Template-fixed peptidomimetic

<220>

<221> MISC\_FEATURE

<222> (1)..(1)

<223> Xaa = (BGU)G

<220>

<221> MISC\_FEATURE

<222> (3)..(3)

<223> Xaa = 2-Nal

<220>

<221> DISULFID

<222> (4)..(13)

<220>

<221> MISC\_FEATURE

<222> (6)..(6)

<223> Xaa = Cit

<220>

<221> MISC\_FEATURE

<222> (8)..(8)

<223> Xaa = D-Pro

<220>

<221> MISC\_FEATURE

<222> (12)..(12)

<223> Xaa = Cit

<220>

<221> MOD\_RES

<222> (14)..(14)

<223> AMIDATION

<400> 19

Xaa Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg  
1 5 10

<210> 20  
<211> 14  
<212> PRT  
<213> Artificial Sequence  
  
<220>  
<223> Template-fixed peptidomimetic

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa = 2-Nal

<220>  
<221> DISULFID  
<222> (4)..(13)

<220>  
<221> MISC\_FEATURE  
<222> (6)..(6)  
<223> Xaa = Cit

<220>  
<221> MISC\_FEATURE  
<222> (8)..(8)  
<223> Xaa = D-Pro

<220>  
<221> MISC\_FEATURE  
<222> (12)..(12)  
<223> Xaa = Cit

<400> 20

Arg Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg  
1 5 10

<210> 21  
<211> 13  
<212> PRT  
<213> Artificial Sequence  
  
<220>  
<223> Template-fixed peptidomimetic

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa = 2-Nal

<220>  
 <221> DISULFID  
 <222> (4)..(13)  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (6)..(6)  
 <223> Xaa = Cit  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (8)..(8)  
 <223> Xaa =  
     (2S,6S,9S)-6-Amino-2-carboxymethyl-3,8-diazabicyclo-[4,3,0]-nonan  
     e-1,4-dione  
  
 <220>  
 <221> MISC\_FEATURE  
 <222> (11)..(11)  
 <223> Xaa = Cit  
  
 <220>  
 <221> MOD\_RES  
 <222> (13)..(13)  
 <223> AMIDATION  
  
 <400> 21

Arg Arg Xaa Cys Tyr Xaa Lys Xaa Tyr Arg Xaa Cys Arg  
 1                      5                      10

<210> 22  
 <211> 13  
 <212> PRT  
 <213> Artificial Sequence

<220>  
 <223> Template-fixed peptidomimetic

<220>  
 <221> MISC\_FEATURE  
 <222> (3)..(3)  
 <223> Xaa = 2-Nal

<220>  
 <221> DISULFID  
 <222> (4)..(13)

<220>  
 <221> MISC\_FEATURE  
 <222> (6)..(6)  
 <223> Xaa = Cit

<220>

<221> MISC\_FEATURE  
<222> (8)..(8)  
<223> Xaa = AMPA

<220>  
<221> MISC\_FEATURE  
<222> (11)..(11)  
<223> Xaa = Cit

<220>  
<221> MOD\_RES  
<222> (13)..(13)  
<223> AMIDATION

<400> 22

Arg Arg Xaa Cys Tyr Xaa Lys Xaa Tyr Arg Xaa Cys Arg  
1 5 10

<210> 23  
<211> 14  
<212> PRT  
<213> Artificial Sequence

<220>  
<223> Template-fixed peptidomimetic

<220>  
<221> MISC\_FEATURE  
<222> (3)..(3)  
<223> Xaa = 2-Nal

<220>  
<221> DISULFID  
<222> (4)..(13)

<220>  
<221> MISC\_FEATURE  
<222> (6)..(6)  
<223> Xaa = Cit

<220>  
<221> MISC\_FEATURE  
<222> (9)..(9)  
<223> Xaa = D-Pro

<220>  
<221> MISC\_FEATURE  
<222> (12)..(12)  
<223> Xaa = Cit

<220>  
<221> MOD\_RES  
<222> (14)..(14)  
<223> AMIDATION

<400> 23

Arg Arg Xaa Cys Tyr Xaa Lys Pro Xaa Tyr Arg Xaa Cys Arg  
1 5 10

<210> 24

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Template-fixed peptidomimetic

<220>

<221> MISC\_FEATURE

<222> (3)..(3)

<223> Xaa = 2-Nal

<220>

<221> DISULFID

<222> (4)..(13)

<220>

<221> MISC\_FEATURE

<222> (6)..(6)

<223> Xaa = Cit

<220>

<221> MISC\_FEATURE

<222> (12)..(12)

<223> Xaa = Cit

<220>

<221> MOD\_RES

<222> (14)..(14)

<223> AMIDATION

<400> 24

Arg Arg Xaa Cys Tyr Xaa Lys Pro Pro Tyr Arg Xaa Cys Arg  
1 5 10

<210> 25

<211> 14

<212> PRT

<213> Artificial Sequence

<220>

<223> Template-fixed peptidomimetic

<220>

<221> MISC\_FEATURE

<222> (3)..(3)  
<223> Xaa = 2-Nal

<220>  
<221> DISULFID  
<222> (4)..(13)

<220>  
<221> MISC\_FEATURE  
<222> (6)..(6)  
<223> Xaa = Cit

<220>  
<221> MISC\_FEATURE  
<222> (8)..(8)  
<223> Xaa = D-Pic

<220>  
<221> MISC\_FEATURE  
<222> (12)..(12)  
<223> Xaa = Cit

<220>  
<221> MOD\_RES  
<222> (14)..(14)  
<223> AMIDATION

<400> 25

Arg Arg Xaa Cys Tyr Xaa Lys Xaa Pro Tyr Arg Xaa Cys Arg  
1 5 10